

**GOVERNMENT OF THE DISTRICT OF COLUMBIA  
DEPARTMENT OF GENERAL SERVICES**



**ATTACHMENT B**

## ***Performance Specifications***

# **Chair - Student - S1**



Department of General Services

## **Standard Features**

### **Frame**

- 15-gauge steel tubing welded to a 14-gauge steel plate
- Baked on enamel
- Cantilever legs/no tilt hardware

### **Shell**

- Textured
- Colorfastness ensured through complete color impregnation
- Flex Back
- One-piece, contoured polypropylene shell

### **Glides**

- Floor Saver Base by Carpin or equal

### **Warranty**

- Lifetime

### **Features**

- Optional book rack for 15" sh and up

### **Average Sizes**

- 13" seat height recommended for Preschool and Kindergarten
- 15" seat heights recommended for 1st grade through 4th grade students
- 18" seat heights recommended for 4th grade through adult students

### **Green Certification**

## ***Performance Specifications***



# **Chair- Multipurpose-S2**

Department of General Services

## **Standard Features**

### **Average Dimensions**

- Width: 19 1/4"
- Depth: 21 1/4"

### **Frame**

- 15-gauge steel tubing
- 14 gauge steel plate welded to tubing
- Chrome finish
- Optional: Electro statically epoxy finish

### **Shell**

- Molded polypropylene seat and back
- Back shell has cut out

### **Features**

- Colorfastness
- Ganging device
- Stackable
- Sled base with mar-resistant glides

### **Warranty**

- Lifetime

### **Green Certification**

## ***Performance Specifications***



## **Chair - Teacher - S3**

Department of General Services

### **Standard Features**

#### **Average Dimensions**

- Overall: 20" wide x 20" deep x 32" high
- Seat: 18" wide x 17" deep
- Seat Height 16" - 19"

#### **Frame**

- Swivel tilt
- Accepts Upholstered insert on shell seat/back
- One or two piece shell
- Integral arms

#### **Upholstery**

- Interchangeable seat and back cushion
- Crypton® green fabric - medium to dark color or equal

#### **Features**

- Pneumatic height adjustment
- Back tension adjustment

#### **Warranty**

- Lifetime

#### **Green Certification**

## ***Performance Specifications***

# **Chair - Guest - S4**

## **Standard Features**

### **Average Dimensions**

- Overall height: 32 3/4"
- Seat Depth: 19 1/2"
- Seat Width: 23"
- Overall Depth: 24"
- Overall Width: 24"
- Seat height: 17 1/2"

### **Frame**

- 15-gauge steel tubing welded to a 14-gauge steel plate
- Steel or wood pan inner construction
- Sled Base or four legs

### **Features**

- Integral Arm in black plastic
- Full or partial back upholstered
- Crypton® Green Certified fabric - medium to dark color

### **Warranty**

- Lifetime

### **Green Certification**



Department of General Services

## ***Performance Specifications***

# **Chair - Guest - S5 Wood Frame (Principal Only)**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Overall height: 30 1/2"
- Seat Depth: 21"
- Seat Width: 22"
- Overall Depth: 21 1/4"
- Overall Width: 25 1/2"
- Seat height: 18 1/4"

### **Frame**

- Solid wood beech
- Steam bent
- Four legs contoured to arm
- Inner seat cushion with quality webbing
- High density commercial grade foam seat and back
  
- Optional Sled Base w/ securely attached glides
- Dowel and /or corner block construction

### **Features**

- Wood back or frame with arms
- Wood Stain to match desking system
- Fully upholstered seat
- Crypton® green fabric - medium to dark color

### **Warranty**

- Lifetime

### **Green Certification**

## ***Performance Specifications***



## **Chair - Task - S6**

Department of General Services

### **Standard Features**

#### **Average Dimensions**

- Overall width 27"
- Overall depth 27"
- Overall height 38"
- Seat width 20"
- Seat depth 18"
- Seat height 16" - 19"
- Back width 23"
- Back height 22"

#### **Upholstery**

- Crypton® Green Certified fabric - medium to dark color or equal

#### **Features**

- Swivel tilt control
- Integral arms
- Pneumatic height adjustment
- Independent seat and back movement
- Carpet or hard caster base

#### **Warranty**

- Lifetime warranty

#### **Green Certification**

## ***Performance Specifications***

# **Chair - High back - S7 (Principal only)**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Overall width 27"
- Overall depth 26"
- Overall height 38" to 45" (adjustable)

### **Green Certification**

### **Features**

- Swivel tilt control and carpet or hard caster base
- Aniline Leather
- Leather fully upholstered arms
- Variable back lock
- Pneumatic height adjustment
- Independent seat and back movement

### **Warranty**

## ***Performance Specifications***



# **Chair Lounge - S8**

Department of General Services

## **Standard Features**

### **Average Dimensions**

- Width: 25" to 35"
- Height" 37"
- Overall depth" 30"

### **Frame**

- Steel / Maple Inner and Outer Construction
- Clean - out between seat and back

### **Features**

- Tight seat and back cushion (no loose cushions)
- Solid hard maple arms (no upholstery)
- pass 1000 lbs. drop test
- On- site - replaceable components
- Crypton® green fabric - medium to dark color
- Heavy duty casters, optional
- Moisture barrier
- Fire barrier

### **Warranty**

- Lifetime

### **Green Certification**

## ***Performance Specifications***

# **Music Posture Chair -S9**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Overall: 20" wide x 20" deep x 32" high
- Seat height: 18 1/2"

### **Frame**

- 16-gauge square tube frame

### **Shell**

- Wear resistant polypropylene

### **Glides**

- Floor Saver Base by Carpin or equal

### **Features**

- Optional folding tablet arms
- Optional book storage rack
- Posture back

### **Warranty**

- Five years

### **Green Certification**

## ***Performance Specifications***



## **Stool - S-11**

Department of General Services

### **Standard Features**

#### **Average Dimensions**

- Overall: 20" wide x 20" deep x 32" high
- Seat: 18" wide x 17" deep

#### **Frame**

- 15-gauge steel tubing welded to a 14-gauge steel plate
- One-piece, 1/4" thick contoured shell
- Made of high-impact polypropylene

#### **Glides**

- Floor Saver Base by Carpin or equal

#### **Features**

- Static-free
- Colorfastness ensured through complete color impregnation
- Glides
- Upholstered seat optional
- Medium to dark color
- Textured front and back
- 32"h seat and non adjustable
- Foot Ring

#### **Warranty**

- Lifetime

#### **Green Certification**

## ***Performance Specifications***

# **Stool Adjustable - S12**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Overall: 20" wide x 20" deep x max 32" high
- Seat: 18" wide x 17" deep

### **Frame**

- 15-gauge steel tubing welded to a 14-gauge steel plate
- One-piece, 1/4" thick contoured shell
- Made of high-impact polypropylene

### **Glides**

- Floor Saver Base by Carpin or equal

### **Features**

- Colorfastness ensured through complete color impregnation
  - Glides
  - Non upholstered seat
  - Medium to dark color
  - Textured seat
  - 32"h max. seat and adjustable
  - Foot Ring

### **Warranty**

- Lifetime

### **Green Certification**

## ***Performance Specifications***



Department of General Services

# **Bookshelf - C1 Adj. Height Shelves**

## **Standard Features**

### **Steel Basic Shell**

- 18-gauge steel
- The reinforcement of the bottoms have (4) threaded welded nuts to accept adjustable leveling glides
- The liner is flush and punched to accept shelf brackets starting approximately 8" from the bottom of the cabinet

### **Wood Basic Shell**

- Wood grains and colors are uniform
- 1" increment shelf adjustment
- Ends are secured with mitered mortise/ tendon and securely glued
- 4"h bottom base front
- Bookcases over 42"h have one fixed shelf which can be relocated in the field
- Backs are flush mounted to rabbeted top and secured at ends and bottom with staples or brads

### **Glides**

- Adjustable

### **Shelves**

- Adjustable on 1" increments
- Weight capacity 500 pounds per shelf
- Ends are secured with mitered mortise/ tendon and securely glued

### **Standard Paint or Wood Finishes**

- The paint is baked on to provide a scratch and stain resistant surface on the metal bookcases
- Interior components and accessories are painted a black finish on the metal bookcases

### **Average Dimensions and Weight**

- Depths: 12", 15" and 18" available
- Height: varies to accommodate bid specifications

### **Standard Warranty**

- Lifetime

### **Green Certification**

## ***Performance Specifications***



# **Cabinet - Chemical - C2**

Department of General Services

## **Standard Features**

### **Steel Basic Shell**

- Separate and identify Class III combustibles
- 1/2" shelf adjustment on numbered slots
- Optional polyethylene shelf tray with a slightly raised curved edge to contain spills
- To resist aggressive chemicals, pesticide cabinets also include polyethylene trays attached to galvanized steel shelves and a polyethylene liner for the bottom shelf

### **Green Certification**

### **Average Measurements**

- 45 gal. 43"x 18"x 65"
- 12 gal. 23" 1/4 x 18" x 35"

## ***Performance Specifications***



# **Cabinet - Tall - C3**

Department of General Services

## **Standard Features**

### **Plastic Laminate Basic Shell**

- Look of wood grains and colors are uniform
- 1" increment shelf adjustment
- Ends are secured with mitered mortise/ tendon and securely glued
- 4"h bottom base front
- Bookcases over 42"h have one fixed shelf which can be relocated in the field
- Backs are flush mounted to rabbeted top and secured at ends & bottom with staples or brads
- Backs are flush mounted to rabbeted top and

### **Glides**

- Adjustable

### **Shelves**

- Adjustable on 1" increments
- Optional: 3/4" thick glued-up hardwoods without bow, sag or twist
- A shelf holds up to 500 pounds even distribution without deformation
- Ends are secured with mitered mortise/ tendon and securely glued

### **Standard Paint or Wood Finishes**

- Optional: Hardwood veneer stain and catalyzed finish

### **Average Dimensions and Height**

- Depths: 18"
- Width: 36"
- Height: varies to accommodate bid specs

### **Hinges and closers**

- Concealed & durable hinges to support doors with Mepla, Piano or Euro hinges. Overlay door.
- Door opener is touch latch or decorative surface pull

### **Standard Warranty**

- Lifetime

### **Green Certification**

## ***Performance Specifications***

# **Cart - Multimedia - C6**



Department of General Services

## **Standard Features**

### **Basic Shell**

- One door
- Lockable
- Mobile
- 18 x 24" rubber mat
- 4" diameter ball bearing casters with 2 locking brakes and mar resistant black rubber casters
- (4) 14" gauge steel 19" legs welded to the cabinet
- Each leg allows for 4" increment top shelf height adjustment
- A pull out notebook computer shelf
- All welded
- 20-gauge steel

### **Green Certification**

### **Average Dimensions**

- Width: 24"
- Depth: 18"
- Height: 26" to 42"

### **Standard Warranty**

- Lifetime

## ***Performance Specifications***



Department of General Services

# **Desk - Administration - C7**

## **Standard Features**

### **Desk Shell**

- Consists of a work surface top, two end panels, full modesty panel and wire management channel and central locking
- 20-gauge steel
- Modular components
- Maximum 30" x 66" desk shell with mobile pedestal and optional left or right return shell

### **Laminate Top**

- 1 1/4" high pressured laminate with matching vinyl edge

### **Components**

- Mobile 27"h pedestal with lock w/ 5th wheel for stability. If not then add counter balance weight
- Non-handed Executive return 24" x 42"

## **Warranty**

### **Standard Paint Finishes**

- The paint is baked on to provide a scratch and stain resistant surface
- Interior components and accessories are painted a black finish

### **Wire Management**

- Grommet on rear center of return and main desk

### **Green Certification**

## ***Performance Specifications***



# **File Cabinet - Fire Proof - C8**

Department of General Services

## **Standard Features**

### **Insulation**

- 100% gypsum, reinforced by a 1" x 2" lattice made of 14 gauge galvanized welded steel wire between each drawer

### **Finish**

- Electrostatic powder coating applied to all sides
- Chrome pull recessed pull with label

### **Drawer Interior**

- High sides for hanging folder frames.
- Follower block

### **Warranty**

- Three years

## **Average Dimensions**

### **Vertical File Cabinet**

#### **Four Drawer Vertical External Dimensions:**

- Height - 52 3/4"
- Width - 17 3/4"
- Depth - 25 1/16"

#### **Vertical Filing Dimensions (per drawer):**

- Height - 10 3/8"
- Width - 12 3/16"
- Depth - 19 11/16"

### **Lateral File Cabinet**

#### **Four Drawer Vertical External Avg. Dimensions:**

- Height - 53-5/8 "
- Width - 43 w" ; 37"w or 31"w
- Depth - 20"

#### **Lateral Filing Dimensions (per drawer):**

▪ All 43" wide lateral drawers are 10-1/4" high x 38-3/8" wide x 15" deep inside. (3.4 cu ft)

Other drawers sizes available if required:

▪ All 36" wide lateral drawers 10-1/4" high x 31-3/8" wide x 15" deep inside. (2.8 cu ft)

▪ All 30" wide lateral drawers are 10-1/4" high x 25-3/16" wide x 15" deep inside. (2.2 cu ft)

## ***Performance Specifications***



Department of General Services

# **Desk - Student - Triangular- C9**

## **Standard Features**

### **Frame**

- Lower tubing in bright chrome that locks with a 1 inch increments
- Adjustable range of legs height 24" to 32"h
- Cantilever legs with non tilt hardware

### **Top**

- Laminate or solid molded thermo set plastic with pencil groove
- Work surface has curved corners and triangle
- Laminate top 3/4 inch thick

### **Green Certification**

### **Standard Warranty**

- Lifetime

### **Glides**

- same as student chair

## ***Performance Specifications***

# **Desk - Student - Rectangular - C9a**



Department of General Services

## **Standard Features**

### **Frame**

- Lower tubing in bright chrome that locks with a 1 inch increments
- Adjustable range of legs height 24" to 32"
- Cantilever legs with non tilt hardware

### **Top**

- The top laminate or solid molded thermo set or plastic Laminate
- Work surface has curved corners
- Laminate top 3/4 inch thick by 19 inches by 26 inches

### **Green Certification**

### **Standard Warranty**

- Lifetime

### **Glides**

- same as student chair

## ***Performance Specifications***



# **Desk - Teacher - C10**

Department of General Services

## **Standard Features**

### **Configuration**

- Consists of a rectangular work surface top, mobile base with locking partial locking casters.
- Modesty Panel
- Mobile Pedestal with lock

### **Finish**

- Powder Coat is baked on chassis
- High Pressured laminate Top with Vinyl Edge

### **Storage - Mobile Pedestal**

- Counter balance weight or 5th caster
- Baked enamel finish
- 27" x22"d Mobile box/box file pedestal with lock
- 18 gauge steel shell and drawers

### **Green Certification**

### **Standard Paint Finishes**

- The paint is baked on to provide a scratch and stain resistant surface
- Interior components and accessories are painted a black finish

### **Average Dimensions**

- 30" x 48" standard, unless otherwise specified

### **Standard Warranty**

- Lifetime of product

## ***Performance Specifications***



Department of General Services

# **Desk Wood - C11 (Principal only)**

## **Standard Features**

### **Veneer**

- Book matched veneer on all surfaces
- Catalyzed varnish process

### **Drawer Construction**

- Dove tailed box and file drawers
- 1/16 inch wood sides and 3/16 inch wood bottoms

### **Drawer Suspension**

- Full extension slides

### **File Drawers, Full Pedestal and Storage**

- Accommodates legal and letter
- Full extended drawer suspension
- Keyed alike locks

### **Edges**

- Various choices of wood edges

### **Green Certification**

### **Grommets**

- Round located center rear of all surfaces

### **Components consist of the following:**

- Main desk with recessed modesty on approach
- Bridge or Return, credenza, pedestals, lateral file cabinet, wardrobe, overhead with task light and tack-board.

### **Finishes**

- Choice of finishes, Maple, Beech, Cherry & Walnut

### **Choice of Pulls**

- Choice of ADA pulls, Black, Satin & Polished

### **Keying Options**

- Keyed alike per room

### **Standard Warranty**

- Lifetime

## ***Performance Specifications***



Department of General Services

# **4 Drawer Vertical File Cabinet - C12**

## **Standard Features**

### **Basic Shell**

- The top and shell is fabricated from 18 - gauge
- The reinforcement of the bottoms have (4) threaded welded nuts to accept adjustable leveling glides
- Leveled and ganged at time on installation

### **Glides**

- Adjustable. On the inside by using a 1/4" nut runner or socket wrench

### **Drawer Suspensions**

- Back of drawer extend clear of the front face of interior cabinet
- Steel ball bearings per side

### **Green Certification**

### **Standard Warranty**

- Lifetime

### **Keying**

- Keyed alike, if multiple same vendor cylinders apply

### **Drawers**

- Constructed using 22- gauge steel, formed 7/8" thick on the leading and trailing edges to enhance strength

### **Standard Paint Finishes**

- The paint is baked on to provide a scratch and stain resistant surface
- Interior components and accessories are painted a durable finish

### **Sizes:**

- Legal or letter width

### **Interlock**

## Performance Specifications



# File Cabinet - Lateral - C12a

Department of General Services

## Standard Features

### Shell

- 18 gauge or stronger steel front back, sides, top and bottom
- Interlock mechanism which permits only one drawer to be opened at a time
- Leveled and ganged at time of installation

### Leveling glides

- Four threaded welded nuts to accept leveling glides that can be adjusted from inside and outside

### Drawer

- Sound absorbing material inside the door to provide quiet operation
- Integral pull
- Effortless operation
- Punched drawer interior for side to side file rods
- Double wall steel drawer front construction
- Central drawer locking mechanism
- Pull out drawer up to four drawers
- Fifth drawer receding and pull – out shelf
- Drawer bottom perforated to receive drawer dividers
- Interior accessories for hanging file folder frames legal or letter - Front to back or side to side
- Securely attached bottom in all drawers
- Central locking mechanism

### Standard Warranty

- Lifetime

### Green Certification

### Paint Finishes

- Paint is baked on to provide a scratch and stain resistant finish
- Textured surface to minimize visibility of finger prints and smudges
- Medium to dark color to minimize stain and marks
- Interior shell is painted to match exterior color
- Interior components and accessories are painted in black finish

### Drawer Suspensions

- Back of the drawer to extend clear of the front face of the cabinet
- Retaining device to hold the drawer in a closed position

### Locks

- The cylinders are keyed- alike to same manufacturer's products in the room

### Additional Materials:

- Wood Veneer with book match and catalyzed finish (Principal Only)

### Average Dimensions:

#### Steel File cabinets:

Laterals: 18"d x 30"w or 42"w with front to back file rods for letter files

18"d x 36"w with side to side file rods

#### Wood File cabinets to match Principals Casegoods:

Laterals: 24"d x 30"w or 42"w with front to back file rods for letter files,, Four drawers.

24"d x 36"w with side to side file rods

## **Performance Specifications**



# **Wardrobe - C13**

Department of General Services

## **Standard Features**

### **Basic Shell**

- Standard laminate construction is Grade A particle board core finished plain interior

### **Leveling glides**

- Four threaded welded nuts to accept leveling glides that can be adjusted from inside or outside the cabinets

### **Door**

- Sound absorbing material inside the door to provide quiet operation
- Integral pull
- Effortless operation
- Medium to dark color to minimize stain and marks
- Prevent the doors from contacting an adjacent cabinet door
- 18" w door hinged right or left with mirror panel
- Concealed door hinges
- 36" w two door hinged right and left
- Central locking mechanism

### **Warranty**

- 10 years warranty

### **Interior**

- Interior components and accessories are painted in solid color malamine interior finish

### **Additional Materials:**

- Wood Veneer with book match and catalyzed finish

### **Interior**

- Coat rod with upper shelf 24"w
- Coat rod right & vertical divider w/ adjustable shelves left, 36"w .

### **Locks**

- The cylinders are keyed- alike to same manufacturer's products in the room
- Tamper proof locks

### **Average Dimensions:**

#### **Laminate Wardrobe/ Storage cabinets:**

24"d x 36"w x 72"h

24"d x 23"w x 72"h

### **Green Certification**

## ***Performance Specifications***

### **Rack - Drying - C14**



Department of General Services

#### **Standard Features**

##### **Frame**

- Single or double sided
- Powder coated metal frame - rust resistant
- Spacer bumpers maintain the rack's parallel spacing in up and down position
- Mobile on casters
- Powder coated

##### **Average Dimension**

- Shelves 20" or 24"d

##### **Warranty**

- Lifetime

## ***Performance Specifications***

# **Shelving - Tall - C15**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- 84" high
- Shelves: 36" wide x 12", 18", 24" deep

### **Frame**

- 18-gauge cold rolled steel
- Shelf capacity: 500. lbs

## **Green Certification**

### **Features**

- Includes 6 shelves, 4 posts, 24 clips, and 3 braces
- Dove gray baked enamel finish
- Shelf height adjustable from 6" to 84"
- Starters and add-ons

### **Standard Warranty**

- Seven years or lifetime of products

## ***Performance Specifications***

# **Shelving Greenware - C16**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Max height: 72"
- Shelf depths range from 14" to 36"

### **Frame**

- Open wire design allows free circulation of air
- Shelves and posts are constructed of heavy-gauge carbon steel or stainless steel
- Load capacity: 2,000 lbs per unit

### **Features**

- Antimicrobial product protection and stainless steel for corrosive environments
- Wire shelving can adapt to changing needs
- Shelves can be adjusted at 1" intervals along the entire length of the post

### **Standard Warranty**

- Seven years or lifetime of products

### **Green Certification**

## ***Performance Specifications***

# **Shelving - Plant - C17**



Department of General Services

## **Standard Features**

### **Frame**

- Holds up to 48 sq. ft.
- Powder coated metal frame - rust resistant
- Accommodates adjustable shelves
- Holds up to 16 adjustable shelves
- Capacity 1,100 lbs

### **Average Sizes:**

- 36"w to 54"w
- 18"d to 24"d
- 60"d to 82"h

### **Shelves**

- PVC- coated wire mesh - rust resistant

### **Casters**

- Optional: 6" Heavy Duty - ( 2 fixed and 2 swivel )

### **Linking**

- Two or more racks capable of linking together

## ***Performance Specifications***

### **Small Safe - C18**

#### **Standard Features**

##### **Average Dimensions**

- 18 1/4" wide x 18" deep x 16" high

##### **Frame**

- Withstands one hour fire test at 1700°F
- Withstands 30 foot drop impact-resistance test
- Withstands 2000° explosion hazard resistance test

##### **Features**

- Textured finish for a scratch, scuff and stain resistant resistant surface

##### **Warranty**

- Lifetime warranty

##### **Green Certification**



Department of General Services

## ***Performance Specifications***



Department of General Services

# **Project Storage Locker - C19**

## **Standard Features**

### **Shell**

- 16 gauge steel doors
- Multiple-Tiers
- Welded on 6" centers
- 16 gauge body parts
- 18 gauge back

### **Locking Mechanism**

- Pull handle with built in padlock loop

### **Doors**

- Ventilation mesh or molded
- Piano-type hinges
- 16 gauge doors
- minimum 12" x 12" x 12"

### **Painted Finish**

- Powder coat finish

### **Warranty**

- Life of the product

### **Green Certification**

## ***Performance Specifications***

# **Sheet Music Cabinet -C20**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- 54" wide x 18" deep x 58" height
- Shelf - 17" wide x 17" deep

### **Frame**

- Durable construction
- 18 gauge steel

### **Features**

- Includes 72 shelves
- Shelves adjustable by 1.25" increments

### **Warranty**

- 15 years

## ***Performance Specifications***

# **Clothes Rack - C21**



Department of General Services

## **Standard Features**

### **Frame**

- Type 304 stainless steel construction
- Open-wire
- Adjustable stainless steel leveling feet provide floor mount free standing option
- (Optional casters)

### **Average Dimensions and Weight**

- 24" w x 72 "l
- Minimum 54 lbs

### **Warranty**

- Lifetime

## ***Performance Specifications***



Department of General Services

# **Cabinet - Flat File - C22**

## **Standard Features**

### **Shell**

- 18 gauge or stronger steel front back, sides, top and bottom
- Shells can be bolted together for stacking
- Shells can contain 5 to 10 drawers

### **Leveling glides**

- Four threaded welded nuts to accept leveling glides that can be adjusted from inside or outside the cabinets.

### **Drawer**

- Sound absorbing material inside the door to provide quiet operation
- Surface pull and label holder
- Effortless operation
- Double wall steel drawer front construction
- Central drawer locking mechanism
- Self Contained steel plan files
- Interior accessories clamping contents
- Securely attached bottom in all drawers
- Integral drawer pull

### **Standard Warranty**

- Lifetime

### **Paint Finishes**

- Paint is baked on to provide a scratch and stain resistant finish
- Medium to dark color to minimize stain and marks
- Interior shell is painted to match exterior color
- Interior components and accessories are painted in black finish

### **Drawer Suspensions**

- Back of the drawer to extend clear of the front face of the cabinet
- Retaining device to hold the drawer in a closed position

### **Locks**

- Steel latch fits all five or ten drawers

### **Average Dimensions: Five or Ten Drawer File cabinets:**

Depth 28"d to 42"d

Width: 40" w to 80"w

Height: 15 3/8"h

Bases: same depth and widths above and 6"h to 20"h

Tops: same depth and widths above and 3/4"h

### **Green Certification**



Department of General Services

## ***Performance Specifications***

# **Cabinet - Flammable - C23**

## **Standard Features**

### **Shell**

- Separate and identify Class III combustibles
- 1/2" shelf adjustment on numbered slots offer the ideal solution the wide variety
- Optional polyethylene shelf tray
- To resist aggressive chemicals, pesticide cabinets also include polyethylene trays attached to galvanized steel shelves and a polyethylene liner for the bottom shelf
  
- **Standard Cabinets:** Stand alone storage, base for stackable compact cabinets
  
- **Compact Cabinets:** Hangable, stackable, or mountable
- Graphics on hazardous information
- Replaceable 2" deep trays offer additional protection with a slightly raised curved edge to contain spills

### **Average Measurements**

- 30 gal. 43"x 18"x 44"
- 45 gal. 43"x 18"x 65"
- 12 gal. 23" 1/4 x 18" x 35"

### **Warranty**

- Lifetime

## ***Performance Specifications***



## **Tables - T1**

Department of General Services

### **Standard Features**

#### **Frame**

- Consists of steel feet, legs, plugs and stretcher connectors
- Tubing will be 14 gauge,
- Seamless round steel column
- Frame will have adjustable glides

#### **Wire Management**

- Leg wire ways will be scuff resistant, high impact and rigid

#### **Top**

- Vinyl "T" molding will be press fit into particle board core

#### **Laminate**

- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet

### **Green Certification**

#### **Optional Features**

- waterfall edge

#### **Pedestal Bases (according to top size below):**

- T- style
- 29" and or 36"h

#### **Top Sizes**

- 36" square
- 36" x 72" rectangular

#### **Warranty**

- Lifetime

## **Performance Specifications**



# **Table- Computer/Printer - T2**

Department of General Services

## **Standard Features**

### **Frame**

- Consists of 1-3/4" round tubular steel feet, legs plugs and stringer connectors
- Tubing will be 14 gauge steel
- Seamless tubular steel column
- Frame will have adjustable glides

### **Modesty Panels**

- Panel will be faced on both sides with laminate

### **Top**

- Waterfall edge detail to match laminate
- Gangable device for side to side table tops
- 1-1/8" thick high-density particleboard core covered with high pressure laminate backing
- Plastic Laminate

### **Edge:**

- Waterfall front

### **Privacy Screens**

- 11" to 23" high in durable material, as secure to top with clamp or screw

### **Wire Management**

- Leg wire ways will be scuff resistant for high impact PVC plastic with two separate wire channels per leg recessed into the table top
- Plastic grommets will be 3" in overall diameter and rear center
- Under-Table Wire Harness will be made of easy-to-use

### **Cantilevered Legs**

- Cantilevered legs can be used at either end of the table or shared leg
- Vertical wire way
- Data & cable entry from the floor or w wall in classes
- Casters available on free-standing units only

### **Top Sizes:**

- 24"d x 36"w
- 24" x 72"w

### **Warranty**

- Lifetime

### **Green Certification**

## ***Performance Specifications***



Department of General Services

## **Tables - Conference- T3**

### **Standard Features**

#### **Frame**

- Consists of 1-3/4" steel
- T-leg for rectangular table top
- X back for 42" diameter table top
- Seamless round steel column
- Frame will have adjustable glides

#### **Top**

- Vinyl "T" molding edge will be press fit into particle
- Plastic Laminate
- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet

#### **Pedestal Bases** (according to top size below):

X for round top and T base style for rectangular  
Base Height: 29"h with top

#### **Average Top Sizes**

- 42" diameter
- 24" d x 72"w

#### **Warranty**

- Lifetime

#### **Green Certification**

## **Performance Specifications**



Department of General Service

## **Tables - Conference- T4**

### **Standard Features**

#### **Frame**

- Consists of wire management to store voice data wiring from floor to top
- Frame will have adjustable glides
- Base Height 29" with top and access panel

#### **Wire Management / Voice Data Accessory**

- Plastic grommets will be 3" in overall diameter and will be recessed into the table top
- Under-table wire harness will be made of easy-to-use Power/Communication Module. Hinges up when user requires power for laptops or telephone and folds when not in use. Includes two simplex electrical outlets with 6' cord, two open ports for data or voice. Data/voice adapter kit has inserts to accept your couplers and jacks. UL/CUL listed. Table cutout dimensions approx. are 4-1/2" x 6". Measures 5" x 7" overall. No hardwiring.

#### **Laminate Top**

- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet
- Vinyl edge to compliment or match top
- Racetrack for maximum seating capacity

### **Green Certification**

#### **Optional Features**

- Wood edge detail to match or complement plastic laminate top.

#### **Warranty**

- Lifetime

#### **Top Size:**

- 42" w x 120" d (two pieces, if required)

## ***Performance Specifications***



## **Side and End Table - T5**

Department of General Services

### **Standard Features**

#### **Overall**

- Plastic Laminate top
- Steel cam and pin leg connection
- Variety of shapes and sizes available
- 1 3/4" thick tops
- 1 5/8" Solid wood edge

#### **Legs**

- Solid wood

#### **Warranty**

- Lifetime

#### **Green Certification**

## ***Performance Specifications***

# **Tables- Horseshoe - T6**



Department of General Services

## **Standard Features**

### **Frame**

- Consists of 1-3/4" steel legs
- Tubing will be 14 gauge,
- Seamless round steel column
- Frame will have adjustable glides

### **Top**

- Vinyl "T" molding edge will be press fit into particle board core
- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet
- Plastic Laminate

## **Green Certification**

### **Optional Features**

- 1 1/4" vinyl edge

### **Base**

Adjustable 23" to 32"h (ADA)

### **Top Size**

Depths: 42" d  
Widths: 72"w

### **Warranty**

- Lifetime

## ***Performance Specifications***

# **Tables- Rectangular - T7**



Department of General Services

## **Standard Features**

### **Frame**

- Consists of 1-3/4" steel feet and legs
- Tubing will be 14 gauge,
- Seamless round steel column
- Frame will have adjustable glides

### **Top**

- Top overhang
- Plastic Laminate
- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet

## **Green Certification**

### **Optional Features**

- 1 1/4" vinyl edge

### **Base**

Adjustable 23" to 32"h (ADA)

### **Top Size**

Depth: 24"d  
Width: 48"w

### **Warranty**

- Lifetime

## ***Performance Specifications***

### **Tables- Science - T8**

#### **Standard Features**

##### **Frame**

- Two rectangular, front open compartments.
- For wooden legs with corner blocking - 29"h
- Black floor grips at the bottom of each wooden leg that stay secure when table is moved
- Chemical resistant frame
- 13 guage steel corner braces with hanger bolt, nut and lock.
- Adjustable glides for precise leveling

##### **Top**

- Chemical resistant top
- Screws underneath top for secure attachment

#### **Green Certification**



Department of General Services

##### **Top Size**

Depth: 24"d  
Width: 72"w

##### **Warranty**

- Lifetime

## ***Performance Specifications***



# **Table - Round Cafeteria with Seats - T9**

Department of General Services

## **Standard Features**

### **Frame**

- The table top support apron shall be 11-gauge channel steel or other bow resistant
- Horizontal and vertical tubing shall be of 14-gauge steel

### **Top and Benches**

- Tables top and benches shall be of solid core
- Bow resistant tops
- High pressure laminate backer

### **Casters**

- Large 4" diameter heavy-duty hand rubber swivel casters provide easy and safe maneuverability

### **Glides**

- 1/2" long to prevent damage to floors

## **Green Certification**

### **Average Dimensions**

- Table height shall be 29"
- Table height shall be 27" Preschool and Elementary
- As specified

### **Standard Warranty**

- Ten years

### **Edge**

- Surface edge as a sealed barrier to moisture, dirt and bacteria penetration

## ***Performance Specifications***



# **Table - Rect. Cafeteria w Seats - T10**

Department of General Services

## **Standard Features**

### **Frame**

- The table top support apron shall be 11-gauge channel steel or bow resistant without
- Horizontal and vertical tubing shall be of 14-gauge steel

### **Top and Benches**

- Tables top and benches shall be of solid core nominal 3/4" thick
- Bow resistant tops

### **Casters**

- Large 4" diameter heavy-duty hand rubber swivel casters provide easy and safe maneuverability

### **Glides**

- 1/2" long to prevent damage to floors

### **Average Dimensions**

- Table height shall be either 29"
- Rectangular table size refer to bid specifications

### **Standard Warranty**

- Ten years

### **Edge**

- Black polyurethane bonded to the table core and the laminate surface edge as a sealed barrier to moisture, dirt and bacteria penetration

### **Green Certification**

## ***Performance Specifications***



# **Table - Taping/Massage - T12**

Department of General Services

## **Standard Features**

### **Average Dimensions**

- Height: 30"
- Plain Shelf: 20" x 66"
- Back Rest (Raises 80 degrees): 30" x 31"
- Body Section: 30" x 47"
- Top: 30" x 78"

### **Frame**

- Full 3" Maple hardwood legs for stability and strength

### **Top**

- 34 oz. Heavy-duty vinyl
- 2" firm density foam tops
- Radiused, seamless corners on upholstered components

### **Capacity**

otherwise)

### **Warranty**

- 3 Year warranty

### **Green Certification**

## ***Performance Specifications***



## **Cot - F1**

Department of General Services

### **Standard Features**

#### **Average Dimensions**

- Height: 30"
- Plain shelf: 20" x 66"
- Back rest (Raises 80 degrees): 30" x 31"
- Body section: 30" x 47"
- Top: 30" x 78"

#### **Frame**

- Full 3" Maple hardwood legs for stability and strength

#### **Top**

- 34 oz. Heavy-duty vinyl with bacterial protection
- 2" firm density foam tops
- Radiused, seamless corners on upholstered components

#### **Capacity**

- 500 lb. Weight capacity (unless noted otherwise)

#### **Warranty**

- 3 Year warranty

#### **Green Certification**

## ***Performance Specifications***

# **Standing Choral Risers - F10**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Width: each 6'
- Rise of each step is 8"
- Depth of each step is 18"
- 42" high side rail
- Storage depth is 27" deep x 69" high x 72" long

### **Frame**

- Formed and welded steel construction
- Sturdy back rail with crossbar

### **Top of steps**

- Steps are covered with carpet

### **Additional Features**

- Folds upright for storage and transport
- Fits through standard doorways
- 4th step kit to convert a 3-step to a 4-step

### **Warranty**

- 5 Year warranty

### **Green Certification**

## ***Performance Specifications***

# **Conductor's Stand - F12a**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Width: 27"
- Depth: 21"
- Desk lip is 1" high

### **Frame**

- 39 lbs
- Constructed of smoked polycarbonate
- Cast iron base

### **Features**

- Wheeled base for easy transport
- Desk tilts from flat to vertical
- Height adjustable from 36" to 52.5"

### **Warranty**

- 5 Year warranty

### **Green Certification**

## ***Performance Specifications***

# **Conductor's Chair - F12b**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Adjusts in height from 26.5" to 36.5"

### **Frame**

- 30 lbs
- Chair frame constructed of 14-gauge steel
- 14-gauge steel foot rest
- 5 14-gauge steel legs

### **Top**

- Seat and back are fabric over 2" foam padding

### **Features**

- 170 degree swivel with locking feature
- Three pre-determined depth settings: conductor, string bass or percussion use

### **Warranty**

- 5 Year warranty

### **Green Certification**

## ***Performance Specifications***

# **Conductor's Podium - F12c**



Department of General Services

## **Standard Features**

### **Average Dimensions**

- Base: 43" wide x 38" deep x 6" high
- Upper: 32" wide x 38" deep x 6" high

### **Frame**

- Base is constructed of 14-gauge steel
- Edging is 16-gauge steel

### **Top**

- Constructed of 5/8" plywood or plexiglass
- Covered with dark color durable carpet

### **Features**

- Two 4" rubber casters recessed into front panel to move easily from room to room
- 36" high detachable guardrail of 16-gauge steel

### **Warranty**

- 5 Year Warranty

### **Green Certification**